

PATENT

Docket No.: P-9596.00US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Scott J. Davis et al. Group Art Unit: 3762
Application No.: 09/843,638 Examiner: Kristen L. Droesch
Filing Date: April 26, 2001 Due Date: April 12, 2004
For: Implantable Therapy Delivery Element Adjustable Anchor

CERTIFICATE OF MAILING OR TRANSMISSION I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Mail Stop AF, Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450, or facsimile transmitted to the U.S. Patent and Trademark Office on September 20, 2004

RECEIVED
CENTRAL FAX CENTER
SEP 20 2004


Joeh Nickel

Mail Stop: AF
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

AMENDMENT AND RESPONSE

Sir:

Responsive to the Office Action mailed May 19, 2004. Applicants submit the following amendment and remarks.

Amendments to the claims are found on pages 2 of this paper.

Remarks/Arguments begin on page 10 of this paper.

BEST AVAILABLE COPY

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.